


# CERTIFICATE

|                            |   |
|----------------------------|---|
| <b>Certificate holder</b>  | <b>PAVATEX SA</b><br><b>Rte de la Pisciculture 37</b><br><b>1701 Fribourg</b><br><b>SWITZERLAND</b>                                   |
| <b>Production facility</b> | Pavafrance SAS, Site Golbey   |
| <b>Product</b>             | Thermal insulation products for buildings   |
| <b>Type, Model</b>         | ISOLAIR 100 - 200 mm<br>Wood-fibre insulation board   |
| <b>Testing basis</b>       | DIN EN 13171:2013-03<br>DIN EN 13172:2012-04<br>European Insulation KEYMARK Scheme for Thermal Insulation Products (2016-11)          |
| <b>Mark of conformity</b>  |    |
| <b>Registration No.</b>    | 011-7D053   |
| <b>Valid until</b>         | 2022-02-28  |
| <b>Right of use</b>        | This certificate entitles the holder to use the mark of conformity shown above in conjunction with the specified registration number. |

See annex for further information.



# ANNEX

Page 1 of 1

|   |  |
|---|--|
| <b>Certificate</b>                                  | 011-7D053 dated 2017-02-21   |
| <b>Technical Data</b>                               | Designation code in accordance with DIN EN 13171:<br><br>WF - EN 13171 - T5-DS(70.-)2-CS(10/Y)100-TR10-WS1.0-MU3-AFr100<br><br>Declared thermal conductivity: 0,041 W/(m*K)<br><br>Reaction to fire: Euroclass E<br><br>Thickness: 100 mm - 200 mm |
| <b>Testing laboratory/<br/>Inspection body</b>      | Materialprüfungsanstalt<br>Universität Stuttgart<br>Pfaffenwaldring 32<br>70569 Stuttgart<br>GERMANY   |
| <b>Test report(s)</b>                               | 902 6226 000-4 dated 2013-07-26<br>900 5742/15G/Schr dated 2015-07-20<br>900 5742/16G1/Schr dated 2016-05-30<br>Confirmation dated 2016-12-12  |
| <b>Surveillance contract/<br/>License agreement</b> | dated 2013-11-29, Annex 3 dated 2014-08-25   |

