

**Materialprüfungsamt Nordrhein-Westfalen**

Prüfen • Überwachen • Zertifizieren

Empowered Body ID039

**Certificate****039-MPA NRW-00429**

Version e01

<b>Certificate holder</b>	Pavatex SA Rte de la Pisciculture 37 CH 1701 Fribourg Switzerland
<b>Production facility</b>	„Werk 5“
<b>Product</b>	Factory made wood fibre products (WF) (according to enclosed Annex)
<b>Testing basis</b>	EN 13171:2012+A1:2015 insulation keymark scheme rules 2.0 (2016-11)

**Mark of conformity****039**

MPA NRW-00429

**Certified properties**

All properties are checked once a year and per level or class and declared value by a notified body.

Regular sampling of products and supervision of factory production control by the authorized certification body.

This certificate entitles the holder to use the mark of conformity shown above in conjunction with the specified registration number 039-MPA NRW-00429. This certificate was first issued on 01.01.2018 and will remain valid until 31.12.2021, as long as neither the harmonized standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified substantially, unless suspended or withdrawn by the notified product certification body

Dortmund, 01.01.2018



Dr. Krasch  
Head of product certification body

This certificate consists of 1 page und 1 annex.

The original of this document was issued in German language.

In case of doubt only the German version is valid.

# Materialprüfungsamt Nordrhein-Westfalen

Prüfen · Überwachen · Zertifizieren

Factory made wood fibre products (WF)  
of production facility Pavatex SA, "Werk 5"

product-	Fire behaviour- according to EN 13501-1	coating/ particularities	lambda group	Thermal conductivity declared value $\lambda_D$ [W/(m.K)]	Thickness range [mm]	CE-designation code according to EN 13171
PAVAFLEX PLUS	E	-----	1	0,036	20-240	T3-TR1-AF5
PAVAFLEX	E	-----	2	0,038	20-240	T3-TR1-AF5