


# CERTIFICATE

<b>Certificate holder</b>	<b>PAVATEX SA</b> <b>Rte de la Pisciculture 37</b> <b>1701 Fribourg</b> <b>SWITZERLAND</b>
<b>Production facility</b>	Pavafrance SAS, Site Golbey
<b>Product</b>	Thermal insulation products for buildings
<b>Type, Model</b>	PAVAFRONT Wood-fibre insulation board
<b>Testing basis</b>	DIN EN 13171:2013-03 DIN EN 13172:2012-04 European Insulation KEYMARK Scheme for Thermal Insulation Products (2016-11)
<b>Mark of conformity</b>	
<b>Registration No.</b>	011-7D054
<b>Valid until</b>	2022-02-28
<b>Right of use</b>	This certificate entitles the holder to use the mark of conformity shown above in conjunction with the specified registration number.

See annex for further information.

# ANNEX

Page 1 of 1

<b>Certificate</b>	011-7D054 dated 2017-02-21
<b>Technical Data</b>	Designation code in accordance with DIN EN 13171: WF - EN 13171 - T5-DS(70.-)2-CS(10/Y)250-TR30-WS1.0-MU5-AFr100 Declared thermal conductivity: 0,044 W/(m*K) Reaction to fire: Euroclass E Thickness: 30 mm
<b>Testing laboratory/ Inspection body</b>	Materialprüfungsanstalt Universität Stuttgart Pfaffenwaldring 32 70569 Stuttgart GERMANY
<b>Test report(s)</b>	900 5742/I13/Schr dated 2014-01-15 900 5742/PG6/Schr dated 2014-10-17 900 5742/15G/Schr dated 2015-07-20 900 5742/16G1/Schr dated 2016-05-30 Confirmation dated 2016-12-12
<b>Surveillance contract/ License agreement</b>	dated 2013-11-29, Annex 3 dated 2014-08-25

