


CERTIFICATE

Certificate holder	PAVATEX SA Rte de la Pisciculture 37 1701 Fribourg SWITZERLAND
Production facility	Pavatex SA, Site Cham
Product	Thermal insulation products for buildings
Type, Model	PAVATHERM-PROFIL Wood-fibre insulation board
Testing basis	DIN EN 13171:2013-03 DIN EN 13172:2012-04 European Insulation KEYMARK Scheme for Thermal Insulation Products (2016-11)
Mark of conformity	
Registration No.	011-7D017
Valid until	2019-10-31
Right of use	This certificate entitles the holder to use the mark of conformity shown above in conjunction with the specified registration number.

See annex for further information.

ANNEX

Page 1 of 1

Certificate	011-7D017 dated 2017-02-21
Technical Data	Designation code in accordance with DIN EN 13171: WF - EN 13171 - T5-CS(10/Y)70-TR5-WS2.0-MU5-AFr100 Declared thermal conductivity: 0,043 W/(m*K) Reaction to fire: Euroclass E Thickness: 40 mm – 60 mm
Testing laboratory/ Inspection body	Materialprüfungsanstalt Universität Stuttgart Pfaffenwaldring 32 70569 Stuttgart GERMANY
Test report(s)	901 9045 002 dated 2010-02-11 900 5742/14C/Schr dated 2014-10-17 900 5742/15C/Schr dated 2015-07-20 900 5742/16C/Schr dated 2016-05-24
Surveillance contract/ License agreement	dated 2013-11-29, Annex 1 dated 2014-08-25

