


# CERTIFICATE

<b>Certificate holder</b>	<b>PAVATEX SA</b> <b>Rte de la Pisciculture 37</b> <b>1701 Fribourg</b> <b>SWITZERLAND</b>
<b>Production facility</b>	Pavafrance SAS, Site Golbey
<b>Product</b>	Thermal insulation products for buildings
<b>Type, Model</b>	PAVAWALL-BLOC Wood-fibre insulation board
<b>Testing basis</b>	DIN EN 13171:2013-03 DIN EN 13172:2012-04 European Insulation KEYMARK Scheme for Thermal Insulation Products (2016-11)
<b>Mark of conformity</b>	
<b>Registration No.</b>	011-7D020
<b>Valid until</b>	2019-10-31
<b>Right of use</b>	This certificate entitles the holder to use the mark of conformity shown above in conjunction with the specified registration number.

See annex for further information.

# ANNEX

Page 1 of 1

**Certificate**

011-7D020 dated 2017-02-21

**Technical Data**

Designation code in accordance with DIN EN 13171:

WF - EN 13171 - T5-DS(70.-)2-CS(10/Y)70-TR7,5-WS1,0-MU3-AFr100

Declared thermal conductivity: 0,040 W/(m\*K)

Reaction to fire: Euroclass E

Thickness: 80 mm – 240 mm

**Testing laboratory/  
Inspection body**Materialprüfungsanstalt  
Universität Stuttgart  
Pfaffenwaldring 32  
70569 Stuttgart  
GERMANY**Test report(s)**902 6226 000-4 dated 2013-07-26  
900 5742/14G/Schr dated 2014-10-17  
900 5742/15G/Schr dated 2015-07-20  
900 5742/16G1/Schr dated 2016-05-30**Surveillance contract/  
License agreement**

dated 2013-11-29, Annex 3 dated 2014-08-25

