


CERTIFICATE

Certificate holder	PAVATEX SA Rte de la Pisciculture 37 1701 Fribourg SWITZERLAND
Production facility	Pavafrance SAS, Site Golbey
Product	Thermal insulation products for buildings
Type, Model	PAVAWALL-GF 80 - 160 mm Wood-fibre insulation board
Testing basis	DIN EN 13171:2013-03 DIN EN 13172:2012-04 European Insulation KEYMARK Scheme for Thermal Insulation Products (2016-11)
Mark of conformity	
Registration No.	011-7D028
Valid until	2021-03-31
Right of use	This certificate entitles the holder to use the mark of conformity shown above in conjunction with the specified registration number.

See annex for further information.

2017-02-21


Robert Zorn M.Sc.
Managing Director

ANNEX

Page 1 of 1

Certificate	011-7D028 dated 2017-02-21
Technical Data	Designation code in accordance with DIN EN 13171: WF - EN 13171 - T5-DS(70.-)2-CS(10/Y)70-TR7.5-WS1.0-MU3-AFr100 Declared thermal conductivity: 0,040 W/(m*K) Reaction to fire: Euroclass E Thickness: 80 mm - 180 mm
Testing laboratory/ Inspection body	Materialprüfungsanstalt Universität Stuttgart Pfaffenwaldring 32 70569 Stuttgart GERMANY
Test report(s)	900 5742/15G/Schr dated 2015-07-20 900 5742/PG1/Schr dated 2016-03-09 900 5742/15G/Schr dated 2015-07-20 900 5742/16G1/Schr dated 2016-05-30
Surveillance contract/ License agreement	dated 2013-11-29, Annex 3 dated 2014-08-25

