

# CERTIFICATE


<b>Certificate holder</b>	<b>PAVATEX SA</b> <b>Rte de la Pisciculture 37</b> <b>1701 Fribourg</b> <b>SWITZERLAND</b>
<b>Production facility</b>	Pavatex SA, Site Cham
<b>Product</b>	Thermal insulation products for buildings
<b>Type, Model</b>	SWISSTHERM Wood-fibre insulation board
<b>Testing basis</b>	DIN EN 13171:2013-03 DIN EN 13172:2012-04 European Insulation KEYMARK Scheme for Thermal Insulation Products (2016-11)

**Mark of conformity****Registration No.** 011-7D087**Valid until** 2022-08-31**Right of use** This certificate entitles the holder to use the mark of conformity shown above in conjunction with the specified registration number.

See annex for further information.



2017-08-11

  
Robert Zorn M.Sc.  
Managing Director

# ANNEX

Page 1 of 1

<b>Certificate</b>	011-7D087 dated 2017-08-11
<b>Technical Data</b>	Designation code in accordance with DIN EN 13171: WF - EN 13171 - T4-CS(10/Y)30-TR2,5-WS2,0-MU5-AFr100 Declared thermal conductivity: 0,039 W/(m*K) Reaction to fire: Euroclass E Thickness: 30 mm - 120 mm
<b>Testing laboratory/ Inspection body</b>	Materialprüfungsanstalt Universität Stuttgart Pfaffenwaldring 32 70569 Stuttgart GERMANY
<b>Test report(s)</b>	9005742/C17/Schr dated 2017-07-12 9005742/C1/Schr dated 2017-07-12
<b>Surveillance contract/ License agreement</b>	dated 2013-11-29, Annex 3 dated 2014-08-25

